

4. Car parking

General provision

- 4.1** Is there designated parking provision for disabled motorists? []
-
- 4.2** Is the proportion of designated bays compared to standard bays sufficient? []
-
- 4.3** Are there any enlarged standard spaces to allow for future expansion? []
-
- 4.4** Is there an additional large designated bay for commercial vehicles with integral hoists? []
-
- 4.5** Are the designated bays clearly signposted from the car park entrance? []
- Are they identified as provision for disabled drivers or passengers (blue badge holders) only?
 - Are they clearly signposted at each change in direction or change in level?

Location and arrangement

- 4.6** Are the designated bays close to the building entrance? []
- If not, is there a route to the entrance level? Is it covered, with seating provided at intervals?
-
- 4.7** In multistorey car parks, are the designated bays at the same level as the principal entrance and exit level? []
- If not, is a lift or suitable, accessible ramp provided?
 - Are the bays grouped together and in the same location at each floor level?
-
- 4.8** Are bays adequately sized? []
-
- 4.9** Can car doors be fully opened to allow disabled drivers and passengers to transfer to a wheelchair parked alongside? []
-
- 4.10** Is there sufficient space for tail loading? []
-
- 4.11** Are designated bays level smooth, even and free from loose stones? []
-

4.12 Are designated bays clearly highlighted with a ground-painted symbol and wall- or post-mounted sign? []

4.13 Are the routes from the parking area to ticket machines and buildings accessible, with dropped kerbs and appropriate tactile warnings? []

- Are the routes positioned away from the rear of vehicles?

4.14 Are routes adequately lit? []

Barriers, control systems and ticket machines

4.15 Do height barriers provide adequate clearance to 2,600mm above paving level? []

- Is the clearance consistent throughout the car park?
- Is there adequate warning of height restrictions and signposting to alternative designated parking spaces?

4.16 Are access-control systems accessible to all users? []

4.17 Is information about car-parking charges clearly displayed? []

- Is it clear if free parking is available to disabled motorists?

4.18 Can ticket dispensing machines at the car park entrance be used by all motorists without leaving their vehicles? []

4.19 Are ticket dispensing and payment machines accessible? []

- Are controls and coin slots at a suitable height?
- Is there a clear, unobstructed, kerb-free approach?

On-street parking

4.20 Does the bay arrangement enable safe access via both sides and the rear of a vehicle? []

- Is the bay adequately sized?

4.21 Is there kerb-free access to one end of the bay? []
